海油工程多路阀品类协议(二次)评审细则

标段编号: 24-CNCCC-HW-GK-6186/01

评标方法:经评审的最低投标价法

序号	评审环节	评审因素	评审标准
1	清标评审	硬件信息	对比各投标文件所使用的电脑硬件信息,看是否存在共用电脑的情况
2	清标评审	标书相似度	检查各投标文件之间文本内容的相似度
3	清标评审	标书文件信息检查	对标书文件作者的审查,作为判断围串标的依据之一
4	定性评审-符合性	投标函签字盖章 Signed and sealed bid letter	有法定代表人(单位负责人)或其委托代理人签字或加盖单位章。由法定代表人(单位负责人)多字的,应附法定代表人(单位负责人)身份证明,由代理人签字的,应附授权委托书,身份证明或授权委托书 The legal representative (person in charge of the unit) or his authorized agent should sign or affix the unit seal. If signed by the legal representative (person in charge of the unit), the identity certificate of the legal representative (person in charge of the unit) shall be attached, and if signed by the agent, the power of attorney, identity certificate or power of attorney shall be attached
5	定性评审-符合性	是否接受联合体 投标 Whether to accept the consortium bid	不接受 Reject
6	定性评审-符合性	是否接受备选方 案 Whether to accept the alternative	不接受 reject
7	定性评审-符合性	投标保证金 Bid Security	投标人应提交投标保证金,并作为其投标的一部分,在递交投标文件的同时提交。 投标保证金金额:不少于5.9万美元或42万元人民币或5.4万欧元。投标保证金有效 期应当与投标有效期一致。境内投标人以现金或者支票形式提交的投标保证金,应 当从其基本账户转出。 The Bidder should submit a bid security together with the bidding documents. The amount of bid security shall be not less than USD59,000.00 or CNY420,000.00 or EUR42,000.00. The validity period of the bid security shall remain the same as that of the bid. the security shall remain the same as that of the bid.

序号	评审环节	评审因素	评审标准
8	定性评审-符合性	投标有效期 Whether to accept the alternative	投标有效期:120天。 投标有效期不足的将被视为非实质性响应,并予以否决。 Period of Validity of the Bid: 120 (one hundred and twenty) days. A bid valid for a shorter period shall be rejected as substantially non-responsive.
9	定性评审-资格和业 绩评审	资格要求1 Qualification Requirements	1.投标人具有合法有效的企业法人营业执照、税务登记证及组织机构代码证或证照合一的营业执照,投标时需提供原件扫描件(原件备查)。投标人为事业单位的,应具有合法有效的事业单位法人证书,投标时需提供原件扫描件(原件备查)。投标人为分公司的,应具有合法有效的营业执照和上级法人单位授权书,分公司与上级法人单位只可一家参与投标,同时参与投标的,投标均无效。如果投标人为境外注册公司,需提供有效的公司登记注册证明。 The business license requirements are proposed to be revised as follows: the bidder has a legal and valid business license of enterprise legal person, tax registration certificate and organization code certificate or a business license combined with the certificate, and the scanned copy of the original shall be provided during bidding (the original copy for reference). If the bidder is a public institution, it shall have a legal and valid certificate of legal person of the public institution, and the scanned copy of the original shall be provided during bidding (for reference of the original). If the bidder is a branch company, it shall have the legal and valid business license and the letter of authorization of the superior legal entity. Only one of the branch company and the superior legal entity may participate in the bidding. If the bidder participates in the bidding at the same time, the bidding shall be invalid. If the bidder is an overseas registered company, a valid certificate of company registration shall be provided.
10	定性评审-资格和业 绩评审	资格要求2 Qualification Requirements	2、投标人应为本次投标产品的制造商。本次招标不接受代理商、贸易商投标。本次接受所投货物的制造商全资的销售公司或控股的销售公司,以及接受所投货物制造商的母公司参与投标,此类公司视同为制造商,投标时需提供相应的证明文件。同一制造商仅允许一家投标人参与投标,否则相关的所有投标将被否决。3、如出现不同投标人的负责人为同一人或存在控股、管理关系的情况,相关投标均无效,招标人随时有权做出拒绝投标、取消投标资格、取消授标、不签订合同或在合同签订后终止合同等决定,相关投标人须无条件接受,且由此做出的任何损失由对应投标人承担。 2. The bidder shall be the manufacturer of the bid product. This tender does not accept agents, traders bid. The wholly-owned or majority-owned sales company of the manufacturer of the goods accepted this time, and the parent company of the manufacturer of the goods accepted to participate in the bidding, such companies shall be regarded as manufacturers, and the corresponding supporting documents shall be provided when bidding. Only one bidder from the same manufacturer is allowed to participate in the bid, otherwise all relevant bids will be rejected. 3. If the person in charge of different bidders is the same person or there is a holding or management relationship, the relevant bid shall be invalid, and the tenderer has the right to make decisions at any time such as rejecting the bid, disqualifying the bid, canceling the award

序号	评审环节	评审因素	评审标准
			of the bid, not signing the contract or terminate the contract after the signing of the contract, etc. The relevant bidder shall unconditionally accept the decision, and any losses arising therefrom shall be borne by the corresponding bidder.
11	定性评审-资格和业 绩评审	资格要求3 Qualification Requirements	4、投标人所投产品的制造商投标时需提供合格有效的GB/T19001(ISO9001)质量体系认证证书(应包含生产或制造),并可在中国国家认证认可监督管理委员会网站(http://www.cnca.gov.cn/)核实。如果有国家相关部门发布的最新体系标准,以最新体系标准为准。投标时需提供原件扫描件(原件备查)。注:如所投货物的制造商提供的质量体系认证证书是外国第三方认证机构颁发的,则网站查询不适用。 4. The manufacturer of the bidder's bid products shall also have valid GB/T19001 (ISO9001) quality system certification (including production or manufacturing), which can be verified on the website of Certification and Accreditation Administration of China (http://www.cnca.gov.cn/). If there are the latest system standards issued by relevant state departments, the latest system standards shall prevail. The scanned copy of the original shall be provided when bidding (for reference of the original). Note: If the quality system certification certificate provided by the manufacturer of the goods is issued by a foreign third party certification body, the website query is not applicable
12	定性评审-资格和业 绩评审	业绩要求1 Performance requirements	投标人所投标的多路阀应为制造厂家的成熟产品,买方不接受新试制产品。2019年1月1日至投标截止日(以合同签署时间为准),投标人所投产品的制造商具有至少1个合同的多路阀的供货业绩,且满足压力等级不小于1500磅级且阀体材质为A182F51双相钢的技术要求。 投标人须按规定格式提交业绩表,并提交相关业绩证明文件。业绩证明文件包括但不限于:1)销售合同复印件和2)到货验收材料。 Performance requirements(Performance track record will be released to all bidders during bid opening): The MSV tendered by the bidder should be a mature product of the manufacturer, and the buyer does not accept new trial products.From January 1, 2019 to the bidding deadline (based on the date of contract signing), the manufacturer of the products tendered by the bidder shall provide sales performance for one project with a pressure level of no less than CL1500 and body material of A182 F51 of MSV. Bidders must submit a performance table in the prescribed format and provide relevant performance certification documents. The performance certification documents include but are not limited to: 1) a copy of the sales contract and 2) materials for acceptance upon arrival.
13	定性评审-资格和业 绩评审	业绩要求2 Performance requirements	投标人所提交的业绩证明文件必须至少体现以下内容:合同首页、合同签署时间、合同签署页(应有双方签署或盖章)、制造商名称、货物名称、磅级、阀体材质及到货验收材料(包含但不限于:对应的增值税发票复印件(如有清单须提供。发票须体现发票号、物资名称、买方卖方信息;发票应包含合同号或订单号,或发票金额与合同或订单金额一致)或买方接收证明或调试验收证明等。若合同为年度/项目协议,除提供协议文本外,还应至少提供该协议对应的至少1个已完成订单的订

序号	评审环节	评审因素	评审标准
			单页和相应的到货验收材料。同一个协议合同下的订单均视为1个业绩。到货验收 材料为到货验收单或结算清单或结算发票。到货验收单或结算清单至少应有合同甲 方签字或盖章。
			The performance certification documents submitted by the bidder must at least reflect the following contents: the first page of the contract, the time of contract signing, the contract signing page (which should be signed or stamped by both parties), the name of the manufacturer, the name of the goods, the weight class, the material of the valve body, and the acceptance materials upon arrival (including but not limited to: a copy of the corresponding value-added tax invoice (if there is a list, it must be provided. The invoice must reflect the invoice number, material name, buyer and seller information; the invoice should include the contract number or order number, or the invoice amount should be consistent with the contract or order amount), or the buyer's acceptance certificate or commissioning acceptance certificate, etc. If the contract is an annual/project agreement, in addition to providing the agreement text, at least one completed order page corresponding to the agreement and the corresponding arrival acceptance materials should also be provided. Orders under the same agreement contract are considered as one performance. The materials for arrival acceptance are arrival acceptance form, settlement list or settlement invoice. The arrival acceptance form or settlement list should at least have the signature or seal of Party A in the contract.
14	定性评审-资格和业 绩评审	业绩要求3 Performance requirements	2. 其他要求:未按要求在开标阶段进行公开的业绩信息,评标阶段不予认可。评标阶段只评审开标阶段已公开的业绩内容,对在开标环节未公开的业绩内容,即使投标文件中提供了也不认可并不再进行评审。 Other requirements: Qualification and performance information that is not publicly disclosed during the bid opening stage as required will not be recognized during the evaluation stage. During the evaluation phase, only the qualifications and performance content that have been publicly disclosed during the bid opening phase will be evaluated. For qualifications and performance content that have not been publicly disclosed during the bid opening phase, even if provided in the bidding documents, they will not be recognized and will no longer be evaluated.
15	定性评审-资格和业 绩评审	信誉要求 Reputation requirements	投标人不应存在第二章投标人须知1.4.3的情形之一 The bidder shall not be in any of the circumstances described in Chapter 2 Instructions to Bidders 1.4.3
16	定性评审-响应性	交货地点 Place of delivery	中国关境内供应商:包含但不限定海工天津地区/山东地区/广东地区的项目现场、 仓库或中国大陆境内项目现场。 中国关境外供应商:CIF天津港或CIP天津机场(北京机场)Suppliers outside China:CIF For goods withinthePRCcustomsterritory: Including but not limited to the project site, warehouse or project site in Chinese Mainland of COOEC Tianjin/Shandong/Guangdong For goods outsidethePRCcustomsterritory: CIF Tianjin Seaport, or CIP Tianjin

序号	评审环节	评审因素	评审标准
			Airport(or Beijing Airport).
17	定性评审-响应性	交货期 Delivery Schedule	国内交货要求:订货确认单签订后180天内到海工天津地区/山东地区/广东地区的项目现场、仓库或中国大陆境内项目现场。 国外交货要求:订货确认单签订后150天内CIF天津港或CIP天津机场或北京机场。 For goods withinthePRCcustomsterritory: to the project site, warehouse or project site in Chinese Mainland of COOEC Tianjin/Shandong/Guangdong within 180 days after signing the order confirmation For goods outsidethePRCcustomsterritory: within 150 days after signing the order confirmation to CIP Tianjin Airport or Beijing Airport).
18	定性评审-响应性	投标报价 Bidder's quotation	1.从中华人民共和国关境内提供的货物:(包括关境内制造的货物、投标截止时间前已经进口的货物和投标人拟自行进口后销售给招标人的货物): 投标报价:完税后现场交货价,应包含所有应缴纳的关税、增值税和其它税费。交货现场地址:海工天津地区/山东地区/广东地区的项目现场、仓库或中国大陆境内项目现场。
19	定性评审-响应性	投标报价货币 Currency for Bidder's quotation	1.从中华人民共和国关境内提供的货物:(包括关境内制造的货物、投标截止时间前已经进口的货物和投标人拟自行进口后销售给招标人的货物): 投标货币:人民币。 The price shall be quoted in CNY for goods and services that the Bidder will supply from within PRC customs territory. 2.从中华人民共和国关境外提供的货物: 投标货币:美元或欧元或港币 The price shall be quoted in USD、EUR or HKD for goods and services that the Bidder will supply from outside PRC customs territor

序号	评审环节	评审因素	评审标准
20	定性评审-响应性	其他商务要求 Other Commercial Requirements	Except the above commercial terms marked with an asterisk above, the commercial terms not marked with an asterisk and other commercial terms in the bidding document are all general commercial terms(Including contract terms, for example, if there is a deviation from clause 5.1 of the contract, it will be considered as one deviation). If the general commercial terms deviate for more than 3(not included), it will be regarded as unqualified in the commercial evaluation 除了以上加星号的商务条款外,未加星号的商务条款和招标文件中的其他商务条款均为一般商务条款(含合同条款,例如合同第5.1款偏离,则视为1项偏离),一般商务条款偏离超过3项(不包含3项),视为商务评议不合格。
21	定性评审-响应性	关键技术参数1 Key technical requirement	多路阀的进/出口工艺连接尺寸、磅级和进口数量满足数据表DD-DDS-长协(多路阀)-IN-1001的要求,投标时提供对应的阀门数据表或供货清单 The inlet/outlet process connection size, class, and inlet quantity of the multiport selector valve meet the requirements of the data sheet DD-DDS-长协(多路阀) - IN-1001. The manufacturer's valve data sheet or supply list shall be provided during bidding.
22	定性评审-响应性	关键技术参数2 Key technical requirement	多路阀的阀体材质,阀芯材质、阀座材质和阀座密封材质满足数据表DD-DDS-长协(多路阀)-IN-1001的要求,投标时提供对应的阀门数据表 The valve body material, plug material, valve seat material, and valve seat sealing material of the multiport selector valve meet the requirements of the data sheet DD-DDS 长协(多路阀) - IN-1001. The manufacturer's valve data sheet shall be provided during bidding.
23	定性评审-响应性	关键技术参数3 Key technical requirement	多路阀选位精度满足 +/- 2°要求,投标时提供对应的阀门数据表 The requirement for the positioning accuracy of the multiport selector valve is +/-2°. The manufacturer's valve data sheet shall be provided during bidding.
24	定性评审-响应性	关键技术参数4 Key technical requirement	多路阀的阀门密封形式为硬密封,满足V泄露等级要求,投标时提供对应的多路阀数据表。 The sealing form of the multi way valve is hard sealing, which meets the V leakage level requirements. The corresponding multiport valve data sheet shall be provided during bidding
25	定性评审-响应性	关键技术参数5 Key technical requirement	投标人承诺多路阀应具有远程和本地操控功能 The bidder promises that the multiport valve should have remote and local control functions.
26	定性评审-响应性	关键技术参数6 Key technical requirement	投标人承诺多路阀应满足招标书中请购书DD-REQ-长协(多路阀)-IN-1001第5章 NDT/NDE和压力测试要求。 The bidder promises that the multiport valve shall meet the NDT/NDE and pressure testing requirements specified in Chapter FIVE of the DD-REQ Changxie (Multiport Valve) - IN- 1001 tender document.
27	定性评审-响应性	关键技术参数7 Key technical requirement	执行器的电气设备防护等级应为IP56或者IP66、防爆等级应为Exd ['] IIB T4,投标时提供所投型号的有效期内的防爆证书、防护等级证书或防护等级检验报告,其中证书中关于环境温度要求满足-20°C-40°C,并在投标时承诺供货时提供环境温度满足-25°C-40°C的证书。

序号	评审环节	评审因素	评审标准
			The electrical equipment protection level of the actuator should be IP56 or IP66, and the explosion-proof level should be Exd IIB T4. When bidding, a valid explosion-proof certificate, protection level certificate, or protection level inspection report should be provided. The certificate states that the environmental temperature requirement should meet - 20 ° C-40 ° C, and promises to provide a certificate that the environmental temperature meets -25 ° C-40 ° C when supplying.
28	定性评审-响应性	关键技术参数8 Key technical requirement	投标人承诺执行机构扭矩应是阀门最大压差(阀门最大阀门承压)时所需最大扭矩值的1.3倍。执行器输出的最大扭矩不超过阀杆所能承受的力的90%。 The torque of the actuator should be 1.3 times the maximum torque required for the maximum pressure difference (maximum valve pressure) of the valve. The maximum torque output by the actuator shall not exceed 90% of the force that the valve stem can withstand
29	定性评审-响应性	关键技术参数9 Key technical requirement	多路阀形式应为立式结构。 The form of the multiport selector valve shall be a vertical structure.
30	定性评审-响应性	关键技术参数10 Key technical requirement	供应商投标时承诺按照招标人要求,登录招标人指定的管理平台进行厂商资料送审及意见回复,完成验货报告整改问题的回复及关闭,完成模型/结构化数据/文档的完工资料提交。招标人管理平台是接收、审查、反馈供应商各类资料、文档、信息的唯一途径,任何其他方式的送审均视为无效,除非招标人同意改变送审方式。The bidder promises to log in to the management platform designated by the company to submit the manufacturer's data for review and reply to comments, complete the reply and closure of the rectification problems of the inspection report, and complete the submission of the completion data of the model/structured data/document as required by the company. The company's management platform is the only way to receive, review and feedback various materials, documents and information of suppliers, and any other way of submission for approval is invalid, unless company agrees bidder to change another way to submit the manufacturer's data.
31	定性评审-响应性	关键技术参数11 Key technical requirement	电机绕组的绝缘应为F级,温升为B级。电机类型应为鼠笼式异步电机。并在投标时 提供对应的产品技术样本。 The insulation of the motor winding should be Class F and the temperature rise should be Class B. The type of motor should be squirrel cage asynchronous motor. And provide corresponding product technical samples during bidding
32	定性评审-响应性	关键技术参数12 Key technical requirement	本次投标所投产品中的电动执行机构必须取得中国国家强制性产品认证证书(CCC认证)。投标时需提供原件扫描件(原件备查),其中证书中关于环境温度要求满足-20°C-40°C,并在投标时承诺供货时提供环境温度满足-25°C-40°C的证书。 The electric actuator shall be obtain a mandatory 3C certificate from the country and provide a copy of the original certificate during the bidding stage. The certificate states that the environmental temperature requirement should meet -20°C-40°C, and promises to provide a certificate that the environmental temperature meets -25°C-40°C when

序号	评审环节	评审因素	评审标准
			supplying.
33	定性评审-响应性	关键技术参数13 Key technical requirement	电动执行机构供电等级、信号类型应满足数据表DD-DDS-长协(多路阀)-IN- 1001要求。投标时提供厂家阀门数据表。 The power supply level and signal type of the electric actuator should meet the requirements of Data Sheet DD-DDS-Changxie (Multiport Valve) - IN-1001. Provide manufacturer's valve data sheets during bidding.
34	定性评审-响应性	关键技术参数14 Key technical requirement	一般技术条款偏离:除了以上技术条款外,招标文件中的其他技术条款均为一般技术条款,一般技术条款偏离5项(不含5项),视为技术评议不合格。 The general technical indicators should not exceed 5 unqualified items.
35	定性评审-响应性	一般技术指标1 General technical requirement	投标人承诺在合同签订后应提供吊点的强度计算,厂家应考虑是否需要必要的支撑并提供强度计算书和吊装图纸。 The bidder should provide the strength calculation of the lifting point, and the manufacturer should consider whether necessary support is needed and provide the strength calculation book and lifting drawings.
36	定性评审-响应性	一般技术指标 2General technical requirement	投标人承诺多路阀配备手轮。 The bidder promises to equip the multiport valve with a handwheel.
37	定性评审-响应性	一般技术指标 3General technical requirement	MODBUS接口和电源接口应满足数据表DD-DDS-长协(多路阀)-IN-1001的要求 ,投标人承诺提供MODBUS通讯地址信息。 The MODBUS interface and power interface should meet the requirements of Data Sheet DD-DDS-changxie (Multiport Valve) - IN-1001, and the bidder promises to provide MODBUS communication address information.
38	定性评审-响应性	一般技术指标 4General technical requirement	投标人应承诺合同签订后提供多路阀三维模型,格式为STP或STEP The bidder shall provide a three-dimensional model of the multiport valve in the format of STP or STEP
39	定性评审-响应性	一般技术指标 5General technical requirement	投标人承诺螺栓螺母满足数据表NOTE 2要求 The bidder promises that the bolts and nuts meet the requirements of Note 2 in the data sheet
40	定性评审-响应性	一般技术指标 6General technical requirement	投标人承诺motor的外壳材料满足数据表DD-DDS-长协(多路阀)-IN-1001的要求 The bidder promises that the shell material of the motor meets the requirements of Data Sheet DD-DDS-Changxie (Multiport Valve) - IN-1001.
41	定性评审-响应性	一般技术指标 7General technical requirement	投标人承诺多路阀工艺连接法兰面满足数据表DD-DDS-长协(多路阀)-IN-1001的要求。 The bidder promises that the flange surface of the multi way valve process connection meets the requirements of Data Sheet DD-DDS-Changxie (Multiport Valve) - IN-1001

序号	评审环节	评审因素	评审标准
42	定性评审-响应性	一般技术指标 8General technical requirement	投标人承诺多路阀的按钮(local/off/remote)选择开关满足数据表DD-DDS-长协(多路阀)-IN-1001的要求。 The bidder promises that the button (local/off/remote) selection switch of the multi way valve meets the requirements of Data Sheet DD-DDS-Changxie (Multiport Valve) - IN-1001.
43	定性评审-响应性	一般技术指标 9General technical requirement	投标人承诺多路阀的最大允许噪音满足数据表DD-DDS-长协(多路阀)-IN-1001的要求。 The bidder promises that the button (local/off/remote) selection switch of the multi way valve meets the requirements of Data Sheet DD-DDS-Changxie (Multiport Valve) - IN-1001.
44	定性评审-响应性	一般技术指标 10General technical requirement	投标人承诺多路阀应提供底座。 The bidder promises to provide a base for the multiport valve.
45	定性评审-响应性	一般技术指标 11General technical requirement	投标人承诺多路阀的喷涂满足防腐喷涂规格书的要求,并满足海洋环境要求。 The bidder promises that the spraying of the multiport valve meets the requirements of SPECIFICATION FOR PROTECTIVE COATING OF OFFSHORE PLATFORM and meets the requirements of the marine environment.
46	定性评审-响应性	其他要求 Other Requirements	不存在国家法规和招标文件明确否决投标的其它条款和要求。 There are no other clauses or requirements that explicitly reject bidding in national regulations and bidding documents.
47	定性评审-响应性	价格算术修正 Price arithmetic correction	评标委员会应修正计算错误。修正后的价格(不含增值税)将作为投标人的评标价格(不含增值税)。投标文件中开标一览表(报价表)内容与投标文件中相应内容不一致的,以开标一览表(报价表)为准;投标文件的大写金额和小写金额不一致的,以大写金额为准;分项报价金额小数点有明显错位的,应以投标总价为准,并修改分项报价;投标总价金额与按分项报价汇总金额不一致的,以分项报价金额计算结果为准。含增值税价格与不含增值税价格x增值税率不一致,以不含增值税价格为准。同时出现两种以上不一致的,按照前款规定的顺序修正,逐项进行修正。如果投标人不接受对其算术错误的更正,其投标将被否决。修正后的价格(不含增值税)将作为投标人的投标价格(不含增值税)。The price arithmetic correction evaluation committee should correct calculation errors. The revised price (excluding value-added tax) will be used as the bid evaluation price for the bidder (excluding value-added tax). If there is any inconsistency between the content of the bid opening schedule (quotation table) in the bidding documents and the corresponding content in the bidding documents, the bid opening schedule (quotation table) shall prevail; If there is a discrepancy between the bidding documents, the amount in words and figures in the bidding documents, the amount in words shall prevail and the itemized quotation shall be modified; If there is a discrepancy between the total bid price and the summary amount by sub item quotation, the calculation result of the sub item quotation amount shall prevail. The price including value-added tax and the price excluding value-added tax x value-added tax rate are inconsistencies at the same

序号	评审环节	评审因素	评审标准
			time, they shall be corrected in the order specified in the preceding paragraph, item by item. If the bidder does not accept the correction of their arithmetic errors, their bid will be rejected. The revised price (excluding value-added tax) will be used as the bidding price of the bidder (excluding value-added tax)
48	定性评审-响应性	报价有效性 Validity of quotation	投标人应按"附件投标报价分项明细表-境内物资或投标报价分项明细表-境外物资 Goods Offered From outside PRC Customs Territory"规定的格式及内容要求进行报价,附件投标报价分项明细表-境内物资1-100项中的B-L、Q行不得修改其格式和内容,101-102项中的B-E、J-L,Q、S行不得修改其格式和内容,否则投标无效。投标报价分项明细表-境外物资Goods Offered From outside PRC Customs Territory1-100项中的B-K、Q行不得修改其格式和内容,101-102项中的B-D、J、K、P行不得修改其格式和内容,否则投标无效。遵循诚实信用的原则,报价明细需根据原材料、规格、加工费的变化进行合理浮动,如出现不均衡报价或投标人对部分材料低于成本且无合理解释的恶意报价竞标,其投标将被拒绝。投标人应按附件格式提供《投标承诺书》。
49	定性评审-响应性	缺漏项报价 Quotation for missing items	投标报价不允许有缺漏项,否在将导致投标被否决。 The price of the missing items is not allowed.
50	定性评审-响应性	银行账号信息	投标人须在投标文件资格审查资料《基本情况表》中完整、清晰、准确填写"基本账户银行"及"基本账户银行账号"中的相关信息。
51	价格评审	是否需要评分:不需要 需要 是否多轮报价:否 评标价计算规则 :评标价=算数修正 投标报价	