

海油工程外夹超声波流量计年度协议评审细则

标段编号：24-CNCCC-HW-GK-5534/01

评标方法：经评审的最低投标价法

序号	评审环节	评审因素	评审标准
1	形式评审	投标函签字盖章 Signed and sealed bid letter	有法定代表人（单位负责人）或其委托代理人签字或加盖单位章。由法定代表人（单位负责人）签字的，应附法定代表人（单位负责人）身份证明，由代理人签字的，应附授权委托书，身份证明或授权委托书 The legal representative (person in charge of the unit) or his authorized agent should sign or affix the unit seal. If signed by the legal representative (person in charge of the unit), the identity certificate of the legal representative (person in charge of the unit) shall be attached, and if signed by the agent, the power of attorney, identity certificate or power of attorney shall be attached
2	形式评审	是否接受联合体投标 Whether to accept the consortium bid	不接受 Reject
3	形式评审	是否接受备选方案 Whether to accept the alternative	不接受 reject
4	形式评审	投标保证金 Bid Security	投标人应提交投标保证金，并作为其投标的一部分，在递交投标文件的同时提交。投标保证金金额：不少于3.2万美元或23万元人民币或3万欧元。投标保证金有效期应当与投标有效期一致。 The Bidder should submit a bid security together with the bidding documents. The amount of bid security shall be not less than USD32,000.00 or CNY230,000.00 or EUR30,000.00. The validity period of the security shall remain the same as that of the bid.
5	形式评审	投标有效期 Whether to accept the alternative	投标有效期：120天。 投标有效期不足的将被视为非实质性响应，并予以否决。 Period of Validity of the Bid: 120 (one hundred and twenty) days. A bid valid for a shorter period shall be rejected as substantially non-responsive.
6	资格评审（资格、业绩、资质、信誉）	资格要求 Qualification Requirements	1、营业执照要求建议修改为：投标人具有合法有效的企业法人营业执照、税务登记证及组织机构代码证或证照合一的营业执照，投标时需提交原件扫描件（原件备查）。投标人为事业单位的，应具有合法有效的事业单位法人证书，投标时需提交原件扫描件（原件备查）。投标人为分公司的，应具有合法有效的营业执照和上级

序号	评审环节	评审因素	评审标准
			<p>法人单位授权书，分公司与上级法人单位只可一家参与投标，同时参与投标的，投标均无效。</p> <p>2、投标人身份建议修改为：投标人应为所投产品的制造商。本次招标不接受代理商投标。</p> <p>3、如出现不同投标人的负责人为同一人或存在控股、管理关系的情况，相关投标均无效，招标人随时有权做出拒绝投标、取消投标资格、取消授标、不签订合同或在合同签订后终止合同等决定，相关投标人须无条件接受，且由此做出的任何损失由对应投标人承担。</p> <p>4、投标人所投产品的制造商须同时具备有效的GB/T19001（ISO9001）质量体系认证证书（应包含生产或制造），并可在中国国家认证认可监督管理委员会网站（http://www.cnca.gov.cn/）核实。如果有国家相关部门发布的最新体系标准，以最新体系标准为准。投标时需提供原件扫描件（原件备查）。注：如所投货物的制造商提供的质量体系认证证书是外国第三方认证机构颁发的，则网站查询不适用。</p>
7	资格评审（资格、业绩、资质、信誉）	业绩要求 Performance requirements	<p>业绩要求：（开标时需进行信息公开）</p> <p>1、2018年1月1日至投标截止日（以合同签署时间为准），投标人所投产品的制造商应具有至少1个超声波流量计（外夹式）的供货业绩，测量介质不限。（1）投标人须按规定格式提交业绩表，并提交相关业绩证明文件。业绩证明文件至少包括：1）销售合同复印件（内容至少包括：合同首页、签字盖章页、签署时间、制造商名称、货物名称及数量、形式为超声波流量计（外夹式）和2）到货验收材料（例如：调试验收报告或买方接收证明或结算证明等）。未提交业绩证明文件，或所提供的业绩证明文件无法体现满足上述业绩要求的，均视为无效业绩。合同签署方不限，业绩品牌与所投品牌保持一致。</p> <p>2、投标人须按规定格式提交业绩表，并提交相关业绩证明文件。业绩证明文件至少包括：1）销售合同复印件（含相关技术附件）和2）到货验收证明文件。投标人所提交的业绩证明文件必须至少体现以下内容：合同签署时间、制造商名称、货物名称、项目名称、阀门（或飞线）类型、尺寸、压力等级、应用水深及到货接收证明。（到货验收证明可以是到货交接签收文件或对应的箱单、提单、发票复印件或验收报告或调试验收证明等）。未提交业绩证明文件，或所提供的业绩证明文件无法体现上述内容的，均视为无效业绩。</p> <p>3.其他要求：未按要求在开标阶段进行公开的资质、业绩信息，评标阶段不予认可。评标阶段只评审开标阶段已公开的资质、业绩内容，对在开标环节未公开的资质、业绩内容，即使投标文件中提供了也不认可并不再进行评审。</p>
8	资格评审（资格、业绩、资质、信誉）	信誉要求 Reputation requirements	<p>投标人不应存在第二章投标人须知1.4.3的情形之一</p> <p>The bidder shall not be in any of the circumstances described in Chapter 2 Instructions to Bidders 1.4.3</p>
9	响应性评审	交货地点 Place of delivery	<p>中国关境内供应商：包含但不限定海工天津地区/山东地区/广东地区的项目现场、仓库或中国大陆境内项目现场。</p> <p>中国关境外供应商：CIF天津港或CIP天津机场（北京机场）</p>

序号	评审环节	评审因素	评审标准
			<p>For goods within the PRC customs territory: Including but not limited to the project site, warehouse or project site in Chinese Mainland of COOEC Tianjin/Shandong/Guangdong</p> <p>For goods outside the PRC customs territory: CIF Tianjin Seaport, or CIP Tianjin Airport (or Beijing Airport).</p>
10	响应性评审	交货期 Delivery Schedule	<p>国内交货要求：订货确认单签订后240天内到海工天津地区/山东地区/广东地区的项目现场、仓库或中国大陆境内项目现场。</p> <p>国外交货要求：订货确认单签订后280天内CIF天津港或CIP天津机场或北京机场。</p> <p>For goods within the PRC customs territory: to the project site, warehouse or project site in Chinese Mainland of COOEC Tianjin/Shandong/Guangdong within 240 days after signing the order confirmation</p> <p>For goods outside the PRC customs territory: within 280 days after signing the order confirmation to CIP Tianjin Airport or Beijing Airport).</p>
11	响应性评审	投标报价 Bidder 's quotation	<p>从中华人民共和国关境内提供的货物：（包括关境内制造的货物、投标截止时间前已经进口的货物和投标人拟自行进口后销售给招标人的货物）：</p> <p>投标报价：完税后现场交货价，应包含所有应缴纳的关税、增值税和其它税费。</p> <p>交货现场地址：包含但不限定海工天津地区/山东地区/广东地区的项目现场、仓库或中国大陆境内项目现场。</p> <p>投标人报价必须为总包固定价，包含现场技术服务、培训等一切费用（报价格式详见格式-3）。现场技术服务截止时间为合同质保期结束。</p> <p>For goods offered from within PRC customs territory: The price of goods quoted Delivered to Construction Site of Tianjin China, including Value Added Tax (VAT) and other taxes already paid or payable to the government of PRC, as well as all customs duties.</p> <p>Delivery site address : Including but not limited to the project site, warehouse or project site in Chinese Mainland of COOEC Tianjin/Shandong/Guangdong</p> <p>The Bidder 's quotation shall be total fixed price, including on-site technical service charge (onshore/offshore) and training (see the Chapter IV Format of Bidding Documents). The deadline for on-site technical service shall be end of warranty period of the contract.</p> <p>从中华人民共和国关境外提供的货物：</p> <p>投标报价：CIF天津港或CIP天津机场（或北京机场）(INCOTERMS2020)</p> <p>For goods offered from outside PRC customs territory: The price of goods quoted CIF LINER TERMS Tianjin Seaport or CIP LINER TERMS Tianjin Airport (or Beijing Airport), P.R. China (INCOTERMS2020)</p>
12	响应性评审	投标报价货币 Currency for Bidder 's quotation	<p>从中华人民共和国关境内提供的货物：（包括关境内制造的货物、投标截止时间前已经进口的货物和投标人拟自行进口后销售给招标人的货物）：</p> <p>投标货币：人民币。</p> <p>The price shall be quoted in CNY for goods and services that the Bidder will supply from within PRC customs territory.</p>

序号	评审环节	评审因素	评审标准
			从中华人民共和国关境外提供的货物： 投标货币：美元 The price shall be quoted in USD for goods and services that the Bidder will supply from outside PRC customs territory.
13	响应性评审	其他商务要求 Other Commercial Requirements	Except the above commercial terms marked with an asterisk above, the commercial terms not marked with an asterisk and other commercial terms in the bidding document are all general commercial terms(Including contract terms, for example, if there is a deviation from clause 5.1 of the contract, it will be considered as one deviation). If the general commercial terms deviate for more than 5(not included), it will be regarded as unqualified in the commercial evaluation 除了以上加星号的商务条款外，未加星号的商务条款和招标文件中的其他商务条款均为一般商务条款（含合同条款，例如合同第5.1款偏离，则视为1项偏离），一般商务条款偏离超过5项（不包含5项），视为商务评议不合格。
14	响应性评审	关键技术参数1 Key technical index 1	流量计型式应为外夹式，投标时提供对应的产品样本。 The Flowmeter Type shall be clamp-on type, and vendor shall provide the corresponding product catalogue in bidding documents.
15	响应性评审	关键技术参数2	流量计的测量精度应满足 $\pm 2.0\%$ ，投标时提供对应的产品样本。
16	响应性评审	关键技术参数3 Key technical index 3	流量计的重复性应满足 $\pm 0.5\%$ ，投标时提供对应的产品样本。
17	响应性评审	关键技术参数4 Key technical index 4	流量计的量程比应满足100:1，投标时提供对应的产品样本。 The Rangeability shall be larger or equal than 100:1, and vendor shall provide the corresponding product catalogue in bidding documents.
18	响应性评审	关键技术参数5 Key technical index 5	投标人所投超声波流量计的变送器外壳和传感器外壳材质应为316SS不锈钢，投标时提供对应的供货清单。 The Transmitter Enclosure and Transducer Material shall be 316SS, and vendor shall provide the corresponding supply list in bidding documents.
19	响应性评审	关键技术参数6 Key technical index 6	流量计通道数量应满足2对（2 Paths），4个传感器（4 Transducers），投标时提供对应的产品样本。 The Number of Path shall be 2 Paths and the Number of Transducer shall be 4 Transducers, and vendor shall provide the corresponding product catalogue in bidding documents.
20	响应性评审	关键技术参数7 Key technical index 7	流量计的设计温度应满足数据表DD-DDS-长协（外夹超声波流量计）-IN-1001要求的-40~120，投标时提供对应的产品样本。 The design temperature shall meet the range of -40~120 as required in the data sheet DD-DDS-长协（外夹超声波流量计）-IN-1001, and vendor shall provide the corresponding product catalogue in bidding documents.
21	响应性评审	关键技术参数8	投标人所投超声波流量计的变送器防爆等级应满足Ex d IIB T4，传感器防爆型式应

序号	评审环节	评审因素	评审标准
		Key technical index 8	<p>适用于Class I, Zone 1, Group IIB T4危险区要求（如Ex d, Ex mb, Ex q等），投标时提供对应投标型号的不锈钢外壳的满足上述防爆要求的变送器和传感器防爆证书，防护等级应为IP56或IP66，投标时提供对应的防护等级证书或者检验报告。</p> <p>The explosion proof of flowmeter transmitter shall be Ex d IIB T4. The explosion proof of transducer shall be suitable for used in Class I, Zone 1, Group IIB T4. (Ex type could be Ex d, Ex mb, Ex q, etc.). Vendor shall provide the corresponding stainless steel housing transmitter and sensor explosion proof certificates meeting the above explosion proof requirements of the corresponding bidding model in bidding documents. The weather proof of flowmeter transmitter and sensor shall be IP56 or IP66, and vendor shall provide the corresponding IP protection certificate or inspection report in bidding documents.</p>
22	响应性评审	关键技术参数9 Key technical index 9	<p>投标人所投超声波流量计的防爆证书适用环境温度范围应满足环境温度 -25 到 40 要求，投标时提供对应的防爆证书。</p> <p>The applicable ambient temperature in explosion proof certificate of the corresponding bidding flowmeter shall meet the Temperature Range of -25 to 40 , and vendor shall provide the corresponding explosion proof certificate in bidding documents.</p>
23	响应性评审	关键技术参数10 Key technical index 10	<p>投标时提供与投标超声波流量计型号对应的计量器具型式批准证书（CPA）。</p> <p>Vendor shall provide the Pattern approval certificate(CPA) of the measuring flowmeters in bidding documents.</p>
24	响应性评审	关键技术参数11 Key technical index 11	<p>流量计输出信号为4~20mA+HART，投标时提供对应的产品样本。</p> <p>The Output Signal shall be 4~20mA+HART, and vendor shall provide the corresponding product catalogue in bidding documents.</p>
25	响应性评审	关键技术参数12 Key technical index 12	<p>供应商承诺中标后按照附录N《供应商文件资料要求》的要求，登陆公司指定的管理平台进行厂商资料送审及意见回复，完成验货报告整改问题的回复及关闭，完成模型/结构化数据/文档的完工资料提交。公司管理平台是接收、审查、反馈供应商各类资料、文档、信息的唯一途径，任何其他方式的送审均视为无效。</p> <p>The bidder promises to log in to the management platform designated by the company to submit the manufacturer's data for review and reply to comments, complete the reply and closure of the rectification problems of the inspection report, and complete the submission of the completion data of the model/structured data/document as required by the company. The company's management platform is the only way to receive, review and feedback various materials, documents and information of suppliers, and any other way of submission for approval is invalid.</p>
26	响应性评审	关键技术参数13 Key technical index 13	<p>一般技术指标不合格项不应超过3项。</p>
27	响应性评审	一般技术指标1 General technical index 1	<p>流量计供电形式为供电电制为220VAC，50HZ，单相，或24Vdc；功耗小于20W，投标时提供对应的产品样本。</p> <p>The Power Supply of flowmeter shall meet 220VAC , 50HZ , 1 Phase , 4-Wire Type, or 24Vdc 4-Wire Type.</p>

序号	评审环节	评审因素	评审标准
28	响应性评审	一般技术指标2 General technical index 2	流量计尺寸应满足数据表DD-DDS-长协（外夹超声波流量计）-IN-1001要求的1.5寸到30寸。 The Flowmeter Size shall be 1.5~30 inch as required in the data sheet DD-DDS-长协（外夹超声波流量计）-IN-1001.
29	响应性评审	一般技术指标3 General technical index 3	流量计安装夹具材质为316SS。 The Mounting Clamp Material shall be 316SS.
30	响应性评审	一般技术指标4 General technical index 4	流量计的变送器电缆进线口不少于6个1/2"NPT。 The Cable Entry of flowmeter transmitter shall be 6*1/2"NPT as min.
31	响应性评审	一般技术指标5 General technical index 5	流量计的填料函和堵头防爆型式为Ex d IIB, IP56，材质为316SS或黄铜镀镍，双密封型式，适用于铠装电缆，投标时提供填料函和堵头的防爆证书和CCC证书。 The Cable Gland and Plug shall be Ex d IIB, IP56. The material shall be 316SS or brass nickel-plated, suitable for armored cable, and vendor shall provide the explosion-proof certificate and CCC certificate of Cable Gland and Plug in bidding documents.
32	响应性评审	一般技术指标6 General technical index 6	流量计的喷涂不低于防腐喷涂规格书的要求，并满足海洋环境要求。 The Coating of flowmeter shall meet the requirement of Coating Specification DD-SPC-长协（涂料）-CC-001 SPECIFICATION FOR PROTECTIVE COATING OF OFFSHORE PLATFORM, and be suitable for using in marine environment.
33	响应性评审	一般技术指标7 General technical index 7	流量计必须安装有仪表不锈钢铭牌及仪表位号标识牌。 The Flowmeter shall be installed with a stainless steel nameplate and tag number plate.
34	响应性评审	其他要求 Other Requirements	不存在国家法规和招标文件明确否决投标的其它条款和要求。 There are no other clauses or requirements that explicitly reject bidding in national regulations and bidding documents.
35	响应性评审	价格算术修正 Price arithmetic correction	评标委员会应修正计算错误。修正后的价格(不含增值税)将作为投标人的评标价格(不含增值税)。投标文件中开标一览表（报价表）内容与投标文件中相应内容不一致的，以开标一览表（报价表）为准；投标文件的大写金额和小写金额不一致的，以大写金额为准；分项报价金额小数点有明显错位的，应以投标总价为准，并修改分项报价；投标总价金额与按分项报价汇总金额不一致的，以分项报价金额计算结果为准。含增值税价格与不含增值税价格x增值税率不一致，以不含增值税价格为准。同时出现两种以上不一致的，按照前款规定的顺序修正，逐项进行修正。如果投标人不接受对其算术错误的更正，其投标将被否决。修正后的价格(不含增值税)将作为投标人的投标价格(不含增值税)。The bid evaluation committee shall correct the calculation error. The revised price (excluding VAT) will be used as the bidder's bid evaluation price (excluding VAT). If the contents of the bid opening list (quotation sheet) in the bid documents are inconsistent with the corresponding contents in the bid documents, the bid opening list (quotation sheet) shall prevail; In case of any discrepancy between the

序号	评审环节	评审因素	评审标准
			capital amount and the lowercase amount in the bid documents, the capital amount shall prevail. If the decimal point of the itemized quotation amount is obviously misaligned, the total bid price shall prevail, and the itemized quotation shall be modified; If there is any discrepancy between the total bid price and the sum of the itemized quotation, the calculation result of the itemized quotation shall prevail. If the price with VAT is inconsistent with the price without VAT x VAT rate, the price without VAT shall prevail. Where two or more inconsistencies occur at the same time, they shall be amended in the order provided for in the preceding paragraph, item by item. If the bidder does not accept the correction of their arithmetic errors, their bid will be rejected. The revised price (excluding VAT) will be used as the bidder's bid price (excluding VAT).
36	响应性评审	报价有效性 Validity of quotation	投标人应严格按照报价格式分项报价表中项目报价，不允许修改。如投标报价中存在修改的，评标委员会应当否决其投标。The bidder shall strictly follow the quotation format, itemized quotation table item quotation, is not allowed to modify. If there is any modification in the tender offer, the bid evaluation committee shall reject the bid.
37	响应性评审	缺漏项报价 Missing item quotation	不允许缺漏项。No missing items are allowed.
38	价格评审	是否需要评分：不需要 是否多轮报价：否 评标价计算规则： 评标价=算数修正 投标报价	
39	清标评审	硬件信息	对比各投标文件所使用的电脑硬件信息，看是否存在共用电脑的情况
40	清标评审	标书相似度	检查各投标文件之间文本内容的相似度
41	清标评审	标书文件信息检查	对标书文件作者的审查，作为判断围串标的依据之一